



performance.
elegance.
warmth.



gas fires

why choose Regency?

An exceptional fire, custom elegance and controllable heat are just a few reasons to make a Regency fire part of your family.

In 1979, I founded Regency Fireplace Products with a mission to produce the finest fireplace products available anywhere. As a result, Regency has been honoured with awards for exceptional aesthetics and performance and is known as the premium brand around the world. We have been dedicated to providing Australia & New Zealand with Regency fires for over 20 years: committed to creating products that promote comfort and peace of mind.

I am so confident in the quality workmanship, the finest materials and durable heavy-duty construction invested in each and every product, that I offer a Limited Lifetime Warranty. Invite the comfort, efficiency and style of a Regency gas or wood fire into your home and enjoy quality time for a lifetime - I guarantee it.



Robert Little
Founder & CEO



www.regency-fire.co.nz



Greenfire GF900L shown with black mitred fascia.

index

Direct Vent Gas Fireplaces

Gemfire GEM54	4
Greenfire GF900L, GF900C	6
Panorama PG36, PG121	8

Gas Inbuilt Fires

GFi300L, IP-28	10
----------------	----

Gas Log Fires

F33, F38, FG39	12
----------------	----

Outdoor Gas Fires

HZO42, PTO30	14
Plateau Firetables	16

Specifications	18
----------------	----

Direct Vent Gas Fireplaces

Gemfire GEM54




Gem54 shown with stainless steel fascia, reflective inner panels and crystals.

Why choose a direct vent fireplace?

A Regency direct vent gas fireplace is the perfect heating solution for your renovation or new construction project.

Direct Vent Technology is a fantastic innovation that maintains the total air quality of the home. It draws air from outside the home for combustion rather than warm room air. This means greater heating efficiency because all the warm air stays in your room. Direct Vent fireplaces can be flued vertically or out through an external wall, making them ideal for multi-storey homes where conventional vertical flues are not practical.





Dramatic firescape

The Regency landscape Gemfire offers a wide angle view of a unique and dramatic flame; perfect for contemporary homes and open concept living spaces. Inset reflective panels amplify the appearance of the stunning fire. The incredible styling is backed up by practical function; the room sealed direct vent fire delivers consistent, controllable heat - even during power outages.

Standard Features

- Wide decorative landscape fire with black crystals
- Wall mounted On/Off switch
- Standing pilot with direct spark ignition
- 2-speed fan
- Nominal maximum gas consumption: 35.9 MJ NG / 32.2 MJ LPG

Optional Features

- Contemporary door frame & fascia in black or brushed stainless steel
- Premium glass fascia in black
- Black enamel inner reflective panels
- Natural River Pebbles
- Crystals in black, copper or starfire
- Driftwood log set
- Remote control
- LPG & ULPG conversion kits
- Horizontal or vertical flue options
- AstroCap™ Venting System

Direct Vent Gas Fireplaces

Greenfire™ GF900L & GF900C



Greenfire GF900L gas fire shown with a clean edge finish.

Seamless design & perfect heat

The Regency Greenfire™ adds modern expression to any living space with today's sleek, linear styling. This series features seamless design and beautiful wide angle flames set on your choice of a coastal driftwood log fire or a full bed of shimmering crystals. Efficient, clean-burning zone heating has never been more stylish!

See it burn
regency-fire.com.au





Greenfire GF900C gas fire shown with premium glass fascia, black crystals and volcanic stones.



Greenfire GF900C gas fire shown with stainless steel fascia and black crystals.



Greenfire GF900C gas fire shown with mitred black fascia and copper crystals.

Standard Features GF900L

- Wide landscape fire with driftwood log set
- Realistic ceramic glowing ember bed
- Black enamel reflective side panels
- 3-speed fan
- Electronic ignition
- RF Remote control
- Room sealed direct vent
- Nominal maximum gas consumption: 35 MJ NG / 28 MJ LPG
- Output: 7.8kW NG / 6.3 kW LPG

Standard Features GF900C

- Wide decorative landscape fire with stones and crystals
- Black enamel reflective panels (sides and rear)
- 3-speed fan
- Electronic ignition
- RF Remote control
- Room sealed direct vent
- Nominal maximum gas consumption: 32 MJ NG / 28 MJ LPG
- Output: 6.9 kW NG / 6 kW LPG

Optional Features

- Contemporary door frame & fascia in brushed stainless steel
- Mitred black fascia
- Premium glass fascia in black (1192mm x 638mm)
- Clean edge finish option (no fascia required)
- Black or stainless steel inner door frame to mix and match
- Stainless reflective side panels
- LPG or ULPG conversion kits
- Horizontal or vertical flue options
- AstroCap™ Venting System for horizontal termination

*when installed with a short horizontal flue kit on NG (GF900L model)

Direct Vent Gas Fireplaces

Panorama™ PG36/PG121



PG36 shown with optional premium flush front, slim fascia and reflective panels.

Design to suit your décor

There are over 25 ways to customise the look and feel of your Panorama fire. Design your fire to suit your décor with a selection of surrounds and finishing touches. Perfect for cosy living areas, the Panorama offers a beautiful flame and controllable heat.

Two rooms... one fire

This see through two sided PG121 is sure to impress. Share the heat and view of this Regency fire in two rooms at once. Customise both sides with stylish Regency accessories.

See it burn
regency-fire.com.au





PG36 shown with optional premium flush front and reflective panels



PG121 shown with black louvres and old town red bricks.

Standard Features

- Black louvres
- Electronic ignition
- 3-speed fan
- 45° flue takeoff – vertical or horizontal (PG121)
- PG36 - 6.8kW - 33 MJ NG / 31MJ LPG
- PG121 - 7.7kW - 41 MJ NG / 38MJ LPG

Optional Features

- Premium black flush front (PG36)
- Black louvres
- 3 or 4 sided finishing trim in black or brushed steel*
- 3 or 4 sided slim line fascia in black or stainless steel* (PG36 only)
- Reflective stainless steel side inserts (PG36 only)
- Ember upgrade kit
- FireGenie® remote control
- AstroCap™ venting system
- LPG conversion kit

* 4-sided trim not available for PG121

Gas Inbuilt Fires

GFi300L & IP-28



GFi300L shown with black trim.

Modern transformation

Transform your old fireplace or blank wall into a modern efficient gas log fire. Rated at up to 3.1 stars*, the Regency GFi300L combines modern styling with the efficiency of a realistic gas log fire. Like all Regency gas inbuilts, the GFi300L will fit into most existing chimneys using a simple flexible flue installation or as a zero clearance unit into a timber framed wall.

With amazing heat output, a realistic driftwood log set and contemporary clean lines, the unit boasts electronic ignition and a powerful 3 speed fan to circulate heat through large areas.


Standard Features GFi300L

- Available in Natural gas, LPG or ULPG
- Powerful 3 speed fan
- Electronic ignition
- Stainless steel door frame
- Glass primary guard
- 6.1kW - 29MJ NG
- 5.7kW - 27MJ LPG

Optional Features GFi300L

- Black door frame
- Black enamel inner reflective panels
- RF remote control – with timer and thermostat function
- Zero Clearance kit to create your own fireplace
- LPG & ULPG conversion kits

* Star rating and kW output is determined by length of flue run





IP-28 shown with Modular Fascia & optional infill panel.



GFi300L shown with stainless steel trim.



IP-28 shown with the Modular Fireplace Solution and slim line fascia.



Supreme convenience

Transform your drafty fireplace to a modern room sealed heater. Rated at 4.3 stars, the Regency IP-28 combines modern style with the efficiency and convenience of a realistic gas log fire. Like all Regency Gas Inbuilts, the contemporary IP-28 will fit into most existing chimneys or can be built into a combustible cavity. With amazing heat output other key features include clean straight lines, choice of fascias; a powerful 2 speed fan; and optional stainless reflective panels to amplify the appearance of the fire.

Standard Features IP-28

- Natural gas or LPG
- Stainless steel heat exchanger & burner
- Powerful 2 speed fan
- Electronic ignition
- Rear flued power venting system
- 6.49kW (output) - 29MJ NG/LPG (input)

Optional Features IP-28

- Contemporary or Slim Line Fascia
- Stainless steel inner reflective panels
- Modular Fireplace Solution kit
- Advanced remote control
- Zero Clearance kit to create your own fireplace
- LPG & ULPG conversion kits

Gas Log Fires

F33/F38/FG39



F38/FG39 shown with optional brushed nickel louvres.

Direct vent technology

Direct vent technology means that you can install a Regency gas log fire almost anywhere in your home - no chimney needed. From the top or rear of the unit, simply vent your gas log fire through an exterior wall. Direct vent means that you have sealed combustion – outside air is brought in through the vent for combustion and the combusted air is sent back out – your indoor air is not affected.

Cosy convenience


These Regency gas log fires feature the finest, most realistic gas fire available. Enjoy the exceptional flame through the wide one piece glass door designed to showcase the glowing flames and embers. Choose manual or electronic ignition and one of two flue options to ensure the right Regency for your home.

Standard Features F38/FG39

- Black louvres
- Two speed fan (F38)
- Three speed fan (FG39)
- Direct vent flue system (FG39)
- F38 - 7.7kW - 38 MJ NG / 6.4kW 31 MJ LPG
- FG39 - 8.4kW - 40MJ NG / 7.9kW 38 MJ LPG

Optional Features F38/FG39

- Brushed nickel louvres
- Gold louvres
- Basic or advanced remote control (F38)
- FireGenie® remote control (FG39)
- LPG Conversion Kit





Outstanding fire!

Come home to a classic gas log fire and view the full, robust fire through an authentic glass door. Customise this classic steel design with black, gold or brushed nickel accessories - select a pedestal base or one of two leg styles.

Standard Features F33

- Two speed fan
- 6.10kW - 33 MJ NG/LPG

Optional Features F33

- NG or LPG models available
- Cast iron door in black, gold or nickel trim
- Cast iron legs in black or brushed nickel
- Gold or nickel hinge caps and handle
- Bottom heat shield (must have when using legs)
- Basic and advanced remote control

Outdoor Gas Fires

HZO42 & PTO30



HZO42 shown with black reflective crystals.

The success of the Regency Gemfire series can now be extended to outdoor living areas. All of the sophisticated, contemporary styling and quality workmanship is mirrored in this dramatic outdoor fireplace. This fireplace delivers beautiful wide angle flames amplified by a reflective stainless steel body with the choice of ceramic garden stones, reflective crystals or logs. Quality, style and durable outdoor function make this fireplace a perfect outdoor option.

Standard Features HZO42

- Natural gas or LPG
- Stainless steel faceplate & firebox
- Stainless steel burner covered with copper crystals
- Tempered glass wind shield
- Stainless steel heat deflector
- Easy access on/off switch
- Electronic ignition
- Seasonal weather cover
- Approved for outdoor installation only
- No venting required

Optional Features HZO42

- Ceramic garden stones
- Crystals in various colors
- Ceramic log set
- Steel framing kit



Custom application using the Regency Plateau™ PTO30 burner and see-through framing kit.



HZ042 shown with garden stones.



Custom application using the Regency Plateau™ PTO30 burner.

1-2-3 Instant fireplace

No fireplace? No problem! The Regency steel framing kit allows you to install and finish your outdoor gas fireplace in no time.

For custom applications, the Regency Plateau™ PTO30 brings you the design versatility of a linear stainless steel burner for multiple sizing applications. Whether you are a landscape designer or a homeowner looking to renovate an outdoor living space, the Regency Plateau burner creates endless design possibilities.

Standard Features PTO30

- Natural Gas
- Stainless Steel 30" linear burner
- Electronic ignition
- Safety valve (turns gas off if flame goes out)
- Burner cover
- Approved for outdoor installation only
- No venting required

Optional Features PTO30

- Crystals in various colors
- Volcanic stones
- Ceramic log set
- Tempered glass wind shield (4-pc)
- LPG conversion kit
- Framing kits



HZ042 steel framing kit

Plateau™ Firetables

Coffee, Island & Cocktail



Plateau™ PT030CFT Coffee firetable shown with glass wind shield and sunset bronze top (shown without mandatory legs).

Linger outdoors longer... in style

Regency brings a fresh modern look to outdoor living with the Regency Plateau™ Coffee, Island or Cocktail firetables. Ideal for entertaining, the linear design of the Plateau leaves plenty of room for family and friends to gather around. The Plateau series offers thoughtful details like flame adjustment, tank storage, optional exquisite glass wind shield and dining leaf to name a few.



Plateau™ PTO30IST Island firetable shown with optional glass wind shield.



Plateau PTO30CKT Cocktail firetable shown with coffee tile top, glass crystals and windshield.



Plateau™ PTO30CFT Coffee firetable shown with glass wind shield and stainless steel top (shown without mandatory legs).

Standard Features

- LPG
- Stainless Steel 760mm linear burner (47MJ)
- Electronic ignition
- Manual flame height adjustment
- Safety valve (turns gas off if flame goes out)
- Dining leaf adds functionality as an outdoor table when fireplace not in use
- LPG tank access & storage (4.5kg bottle for Coffee table and 8-9kg bottle for Island/Cocktail table)
- Tempered glass wind shield (Coffee table only)
- Approved for outdoor installation only
- No venting required

Optional Features

- Table top - Stainless steel or Sunset bronze powder coated top (PTO30 coffee firetable, must choose one)
- Table top - Porcelain tile in coffee or slate black (PTO30 Island / Cocktail firetable, must choose one)
- Frame for custom tile (must choose with porcelain tile above or custom frame)
- Crystals in black or copper (must choose one)
- Ceramic log set
- Slate grey stones
- Seasonal weather cover
- Tempered glass wind shield (4-pc) (Island/Cocktail firetable)
- Regulator and hose assembly
- NG conversion kit

Design options - Outdoor Fires


Firebed options



Copper crystals



Starfire crystals



Black reflective crystals



Ceramic log set



Volcanic stones
ivory/tan




Volcanic stones
slate/grey

Island/Cocktail porcelain tile table top options



Coffee Brown



Slate black

Coffee firetable top options



Stainless steel



Sunset bronze

Glass wind shield




Exquisitely finished tempered glass for maximum comfort and optimum fire viewing

Dining leaf




Matching dining leaf burner cover (stainless steel/sunset bronze/iron gray)


Firetables Dimensions (mm)



PT030CFT Coffee Firetable



PT030IST Island Firetable






PT030CKT Cocktail Firetable


Technical specifications - Outdoor Gas Fire

HZO42




Dimensions (mm)




Framing (mm)




Framing	HZO42
J	1072
K	730
L	508
M	1334
N	1027
O	1376



Clearances to combustibles (mm)



Clearances	HZO42
A	457
B	203
C	914
D	304
E	1148
F	914



HZO42 framing kit

Technical specifications - Gas Fires


1-2-3 Instant fireplace




No chimney? No problem! The Regency Zero Clearance range enables you to have a gas log fire installed into a timber or steel framed/plasterboard "mock" chimney breast without the expense and effort of a purpose built brick chimney.

GEM54/GF900L/GF900C


Gemfire 54




Greenfire GF900L & GF900C




Gemfire 54




Gemfire 54




Greenfire GF900L & GF900C



Framing (mm)




* Note: GEM54 requires top metal stud only.
All framing for GF900L and GF900C may be of wood construction.



Framing	GEM54	GF900L	GF900C
J	1524	1127	1127
K	1184	1089	1089
L	559	552	552
M	1295	1151	1151
N	1829	1273	1273
O	2586	1800	1800

Clearances	GEM54	GF900L	GF900C
A	508	438	438
B	102	146	146
C	1038	1003	1003
D	330	330	330
E	2108	1480	1480
F	914	787	787
G		610	610


Clearances to combustibles (mm)




Technical specifications - Gas Fires

PG36/PG121

Dimensions (mm)




PG36




Dimensions	A	B	A1	B1	C	D	E	F	G
PG36	914	775	741	394	838	324	102	175	184

Framing (mm)

FRAMING - FRONT VIEW




FRAMING - TOP VIEW



MINIMUM TERMINATION CENTRE LINE PG36

PG36/PG36D




Framing (horizontal termination)	H	I	J	K*	L	M	N	O
PG36	1524	1078	921	1126	324	921	914	1029
PG36 (premium flush front)	1524	1078	946	1182	432	944	914	1029
PG121	please refer to installation manual							

* When using rigid pipe.


For vertical termination or vertical rise with horizontal termination please refer to manual.

Note: Framing dimensions are a guide only. Always check the current installation manual before commencing construction.


Clearances to combustibles (mm)



PG121 Front



PG121 Side



Clearances	PG36	PG121
A	152	914
B	1016	914
C	178	*
D	0	0
E	0	0


*Please refer to the installation manual.

Note: For PG121 there is a 699mm vent heat shield on the vent end of the fireplace. Please allow appropriate space for centre positioning

Technical specifications - Gas Inbuilts


GFI300L

Dimensions (mm)




Minimum Fireplace Opening	Width (front)	Width (rear)	Height	Depth
GFI-300L	688	688	590	367

Clearances (mm)



Mantel clearances*	A	B	C	D	E	F
GFI-300L	464	860	330	38	1924	914

* clearances shown are for 89mm mantel. For other mantel clearances please check your product manual.
 A,B,C area measured from the side trim of the unit.
 ** No hearth is required when using the safety screen.
 Please see manual for other configurations.




Mock fireplace construction Framing - zero clearance	J	K	L
GFI-300L	800	650	420

* See manual for premium facing requirements with zero clearance option.

IP-28

Dimensions (mm)




Dimensions	A	B	C	D
IP-28	694	593	379	694

Faceplate Dimensions	Width	Height
IP-28 Modular fascia	848	655
IP-28 Modular fascia & infill panel	970	720
IP-28 Contemporary fascia	944	716
IP-28 Slim line fascia	1030	725

Minimum Fireplace Opening	Width (front)	Width (rear)	Height	Depth
IP-28 Contemporary Fascia	699	699	597	384
IP-28 Slim Line Fascia	735	699	597	432

Clearances (mm)



Mock fireplace construction Framing - zero clearance	J	K	L
IP-28 Contemporary Fascia	702	490	770
IP-28 Slim Line Fascia	702	490	770

* See manual for premium facing requirements with zero clearance option.

Mantel clearances*	A	B	C
IP-28	51	1000	279

* clearances shown are for 89mm mantel. For other mantel clearances please check your product manual.
 A, B, C area measured from the side trim of the unit.


Technical specifications - Freestanding Gas Log Fires

F33/F38/FG39

	Ignition System	FireGenie Remote	Basic/Advanced Remote	B-Vent Flue	Direct Vent Flue
F33	manual	-	★	✓	-
F38	manual	-	★	✓	-
FG39 FireGenie	electronic	★	-	-	✓


- Not available
- ★ Optional

Dimensions (mm)



Dimensions	A	B	C	D
F33	610	754	559	-
F38	660	762	432	448
FG39	660	762	432	448

Clearances to combustibles (mm)



Clearances	A	B*	C
F33	250	150	38
F38	190	155	50
FG39	190	150	50

B*- Rear wall clearance is a temperature issue and necessary for drafting purposes. Do not reduce clearance under any circumstances.

Accessories

FireGenie® Remote Control (for electronic units only)

- Electronic ignition - no pilot light
- 7 day programmable times
- 2 time zones per day
- Radio frequency
- Thermostatic control
- Adjust flame & fan from remote

Advanced RF Remote Control (for manual units only)

Choose the Advanced Radio Frequency remote control/ thermostat featuring 7 day programming and not only make your Regency gas inbuilt more convenient but you can actually save on running costs while maintaining your comfort level.

AstroCap™ (for direct vent horizontal termination only)

The patented AstroCap will finish off the flue system on the outside of your home making it far more attractive than traditional flue systems. The AstroCap can even be painted to match your home.



AstroCap™



Enjoy your Regency - for life

You'll be happy with your Regency for years to come, our Limited Lifetime Warranty guarantees it. Not only have we invested in quality workmanship, the finest materials and durable heavy-duty construction but we have carefully selected a dealer network that is committed to your satisfaction. All Regency gas fires pass stringent Australian and New Zealand testing standards. We know that you will be as proud of your Regency as we are.

Limited Lifetime Warranty covers the following components: Combustion chamber, heat exchanger, burner tubes, logs, and glass (thermal breakage). Refer to owner's manual for details.

Note: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information. Stainless steel inner panels will naturally change tone over time. Heating capabilities of units are affected by: drafts under doorways or through flooring, large glass areas not covered by heavy drapes, ceiling heights greater than 2.4m or cathedral type ceilings, poor or no insulation and geographical locations.

Not all products are available at all outlets.



For your nearest dealer:

www.regency-fire.co.nz

or call 0800 161 161 (NZ)

Fireplace Products Australia Pty Ltd.

1 Conquest Way,
Hallam VIC 3803
Australia
Phone 1 800 081 978
Fax 03 979 97822

Email: salesau@regency-fire.com

Distributor NZ

Aber Holdings Ltd

17 Mainstreet Place, Te Rapa
Hamilton 3200
New Zealand
Phone +64 7849 7585
www.aber.co.nz

Your Regency Dealer